

MILANO

A classic of functionality





A MASTER OF VERSATILITY



MILANO

FLEXIBILITY OF USE

Multiplexable in row or back to back with or without head cabinet















TECHNICAL FEATURES

MILANO



Standard RAL Colours

 1015	 1021	 2011
 3002	 3020	 5005
 5012	 6018	 7035
 7037	 9006	 9010

Standard Features:

- Fan assisted cooling
- Thermostatic valve
- EC fans
- Evaporator defrost heater
- Valve R404 to solder
- Bumper in ABS

Optional Features:


- Stainless steel bumper
- Dividers
- Defrosting with hot gas
- LED lighting
- Control panel master and slave
- Everclear doors
- Internal special RAL painting
- Electronic Valve
- Push sliding covers

MILANO


	1875	2200	2500	3750
MILANO Head-2E		•		
MILANO HG-1E	•		•	•
MILANO HG-2E	•			
MILANO NG-1E	•		•	•

CROSS SECTIONS


MILANO




MILANO NG H205 Head




MILANO NG H216 Head




MILANO HG H205 Head




MILANO NG H216 Head




MILANO HG 1E H205




MILANO HG 1E H216



MILANO HG 2E H205



MILANO HG 2E H216



MILANO NG 1E H205



pastorfrigor
Italian Cold Style 

Pastorfrigor Spa
15030 Terruggia (AL) - Italy - Reg. Gabannone, 4 Z.I.
Tel. +39 0142.433.711 - Fax +39 0142.433.701
info@pastorfrigor.it - www.pastorfrigor.it
P.IVA 00578270068

All the pictures and features related to the products being part of this catalogue,
do not consider any change and/or update, and suggested configurations are not binding. Any reproduction is strictly forbidden.